



HABERGEON

TOP

Design by Nadia Caro

Pattern



- **Skill level:** low intermediate
- **Size:** XS (S, M, L, XL) to fit the bust 81 (86, 91, 97, 102) cm. Attention: all measurements are in cm.
- **You will need:** linen 100% Shibui Knits 225 m/50 g 300 g (300, 300, 350, 350 g), circular needles 3 mm (US 2), 3,5 mm (US 4), tapestry needle.
- **Gauge:** 26 sts. = 10 cm, 26 rows = 10 cm in stockinette st. with needles 3 mm after blocking.

BACK:

Using 3 mm needles cast on 112 (118, 124, 130, 136) sts. and work in a rib (K1, P1) for 5 cm (12 rows), ending with the RS facing for the next row. Change to 3,5 mm needles. Now work in lace patt as folls:

Row 1 (RS): 1 edge st, knit to the last st, P1.

Row 2 (WS): 1 edge st, purl to the end of the row.

Row 3 (RS): 1 edge st, * yfwd, K1, rep from * to the last st, P1.

Row 4 (WS): 1 edge st, * sl2, dropping yo of the previous row, move both (now long) sts to the left needle, move the right needle into the first st on the left needle and knit the second (not the first) st, move these two sts from the left to the right needle, rep from * to the last st, P1.

Rep 1-4 rows

Cont in this pattern to 130 (130, 134, 134) rows from the beginning. Bind off the middle 52 (56, 60, 64, 68) sts and work both parts separately. After 140 (140, 144, 144) rows from the beginning cast off the rem sts for the shoulders.

FRONT:

Work as given for the back. To shape front neck after 113 (113, 117, 117) rows from the beginning bind off the middle 24 (28, 32, 36, 40) sts and each part work separately. At the same time bind off in every second row from each neck edge 8 sts one, 4 sts once, 2 sts once. Work till the height of 140 (140, 144, 144) rows from the beginning. Cast off the rem sts for the shoulders.

MAKING UP:

Block pieces. Join shoulder seams with mattress stitch if preferred. With RS facing and using 3 mm circular needles pick up and purl 140 (148, 156, 164, 172) sts, then knit one row, then purl one row, Then knit one row, cast off purlwise. Mark points along side seam edges 22 (23, 24, 25, 26) cm either side of shoulder seams to denote base of armhole opening. Sew the side seams leaving armhole openings open.

For more info feel free to email me at: maknadezhda@mail.ru